

φ 50 mm 本 設 配 水 管 布 設

数 量 計 算 書

φ 50mm 本設配水管布設

No.1

[illegible]

φ 50mm 本設配水管布設

No.2

[illegible]

φ 50mm 配水管布設延長計算書

[illegible]

# φ 50mm 切 管 一 覧 表 (EF 受 口 付 )

φ 50mm

( 単 位 : m )

No.	受口	甲切	乙切								計	残管	切断
1	EF	2.93	0.63	1.00							4.56	0.44	3
2	EF	1.56									1.56	3.44	1
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													
		合計	2	本							6.12	3.88	4

# φ 75mm 切管一覧表(フレーション`直管)

φ 75mm (新設道路内)

( 単位:m )

No.	受口	甲切	乙切										計	残管	切断
1	PE		1.39										1.39	3.61	1
2															
3															
4															
5															
6															
7															
8															
9															
10															
11															
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															
24															
25															
26															
27															
28															
29															
30															
合計			1	本									1.39	3.61	1

[illegible]

φ 75 mm 本 設 配 水 管 布 設

数 量 計 算 書



φ 75mm 本設配水管布設

No.1

[illegible]

[illegible]

1号明細書 φ75mm 本設配水管布設			甲切管	乙切管	乙切管	乙切管	乙切管	乙切管	合計 (m)	残管 (m)	切断(エンジンカッター)		切断 溝切 (口)	溝切 のみ (口)	挿ロリク*
	名称	切管合せ									(カ所)				
1	GX-DIP φ75×4.0		GX - G 1.170	G - G 0.800	G - G 0.800	G - GX 1.170			3.940	0.060	4				
2	GX-DIP φ75×4.0		GX - G 3.760						3.760	0.240	1				
3	GX-DIP φ75×4.0		GX - G 1.960	G - GX 1.930					3.890	0.110	2				
4	GX-DIP φ75×4.0		GX - G 1.280	G - G 0.800	G - G 0.920	G - GX 0.920			3.920	0.080	4				
5	GX-DIP φ75×4.0		GX - G 2.200	G - G 0.800	G - GX 0.800				3.800	0.200	2				
	残管重量		S種管 0.690m×13.93kg/m=9.61kg												
	合計								19.310	0.690	13				

[illegible]

φ 50 mm 仮 設 配 水 管

数 量 計 算 書

[illegible]

φ 50mm 仮設配水管

No.2[illegible]

## No.1

[illegible]



[illegible]

管 水 給 設 本  
書 算 計 量 数

本設給水数量表

番号	DIP用サドル分水栓		防錆コア		SKX分子水栓ソケット			SKXメネジソケット	SKXエルボ			SKXソケット			水道用ポリエチレン管			配管土工			
	φ 75 × φ 40	φ 75 × φ 25	φ 40	φ 25	φ 40	φ 25	φ 20	φ 40	φ 40	φ 25	φ 20	φ 40	φ 25	φ 25 × φ 20	φ 40	φ 25	φ 20	④	⑤	⑥	⑦
公園		1		1		1				2			1			1.0				1.0	
町テナント		1		1		1				2				1		3.2				3.2	
ローソンホプラ①		1		1		1				2				1		3.2				3.2	
ローソンホプラ②		1		1		1				2				1		3.2				3.2	
赤碕漁協直売センター		1		1		1				2				1		3.2				3.2	
国交省トイレ	1		1		1				2			1			1.0						1.0
計	1	5	1	5	1	5			2	10		1	1	4	1.0	13.8				13.8	1.0

本設給水管

No.1

[illegible]

[illegible]

仮 設 給 水 管  
数 量 計 算 書

仮設給水数量表

番号	DIP用サトル分水栓		SKX分子水栓ソケット			SKXメネジソケット	SKXエルボ			SKXソケット			水道用ポリエチレン管			配管土工			
	φ75 × φ25	φ75 × φ40	φ40	φ25	φ20	φ40	φ40	φ25	φ20	φ40	φ25	φ20	φ40	φ25	φ20	④	⑤	⑥	⑦
公園				1							1			1.0					
町テナント					1							1			4.0	3.5			
ローソンホプラ①					1							1			4.0	3.5			
ローソンホプラ②					1							1			4.0	3.5			
赤碕漁協直売センター					1							1			6.6	3.5			
国交省トイレ						1				1			3.4				1.9		
計				1	4	1				1	1	4	3.4	1.0	18.6	14.0	1.9		

仮設給水管

No.1

[illegible]



[illegible]