

01_生涯学習センター空調設備改修、数量書

工事別-1

[illegible]

01_生涯学習センター空調設備改修、数量書

工事別-2

[illegible]

3	内装改修	＜撤去＞										
	＜天井＞											
	天井下地撤去	軽鉄	内部集計表(撤去天井-1)								215.3	m2
		集積共		44.18				=44.18				
				17.86				=17.86				
				13.49				=13.49				
				1.67				=1.67				
				82.31				=82.31				
				4.68				=4.68				
			内部集計表(撤去天井-2)									
				28.47				=28.47				
				16.34				=16.34				
				6.33				=6.33	=215.33			
	天井加工撤去	集積共	内部集計表(撤去天井-1)								8.0	m2
				1.67				=1.67				
			内部集計表(撤去天井-2)									
				6.33				=6.33	=8.00			
	二重竿縁撤去	集積共	内部集計表(撤去天井-2)								31.0	m
				30.96				=30.96				
	天井点検口撤去	集積共	内部集計表(撤去天井-2)								1.0	か所
				1.00				=1.00				
	＜雑＞											
	既設アンカー切断撤去	φ9	1F:階段下ポンプ室	4.00			x2.00	=8.00			8.0	か所
		集積共										

3	内装改修	＜撤去＞										
	既設アンカー切断撤去	φ12	1F:空調機械室	4.00			x5.00	=20.00			44.0	か所
	集積共			4.00			x3.00	=12.00				
				4.00			x3.00	=12.00	=44.00			
	既設アンカー切断撤去	φ20	1F:空調機械室	8.00			x3.00	=24.00			24.0	か所
	集積共											
	既設アンカー切断撤去	ステンレスφ16	1F:冷却塔	24.00				=24.00			24.0	か所
	集積共											
	発生材積込み	金属屑	天井下地	215.33			x0.02	=4.31			4.4	m3
			天井点検口	1.00			x0.02	=0.02				
			既設アンカーφ9	8.00			x0.001	=0.01				
			既設アンカーφ12	44.00			x0.001	=0.04				
			既設アンカーφ20	24.00			x0.001	=0.02				
			既設アンカーφ16	24.00			x0.001	=0.02	=4.42			
	発生材積込み	木屑類	二重竿縁	30.96			x0.002	=0.06			0.1	m3
	発生材積込み	ビニルシート類	天井クロス	8.00			x0.002	=0.02			0.02	m3

01_生涯学習センター空調設備改修、数量書

工事別-5

3	内装改修	＜改修＞										
	＜天井＞											
	天井 ロックール吸音板張り	厚9	不燃	内部集計表(新設天井-1)							44.2	m2
		下地PB厚9.5(不燃)共		44.18					=44.18			
	天井 ロックール吸音板張り	厚19キューブ	不燃	内部集計表(新設天井-1)							17.9	m2
		下地PB厚9.5(不燃)共		17.86					=17.86			
	天井 ロックール吸音板張り	厚9	不燃	内部集計表(新設天井-1)							82.3	m2
		下地PB厚9.5(準不燃)共		82.31					=82.31			
	天井 ロックール吸音板張り	厚19キューブ	不燃	内部集計表(新設天井-1)							4.7	m2
		下地PB厚9.5(準不燃)共		4.68					=4.68			
	天井 石膏ボード張り	厚9.5	不燃	内部集計表(新設天井-1)							15.2	m2
				13.49					=13.49			
				1.67					=1.67	=15.16		
	天井 石膏ボード張り	厚9.5	準不燃	内部集計表(新設天井-2)							6.3	m2
				6.33					=6.33			
	天井 化粧石膏ボード張り	厚9.5	準不燃	内部集計表(新設天井-2)							28.5	m2
				28.47					=28.47			
	天井 化粧石膏ボード張り	厚9.5	準不燃	内部集計表(新設天井-2)							23.2	m2
		杉柵目透し		16.34					=16.34			
				6.84					=6.84	=23.18		
	天井 ビニールクロス張り			内部集計表(新設天井-1)							8.0	m2
				1.67					=1.67			
				内部集計表(新設天井-2)								
				6.33					=6.33	=8.00		

01_生涯学習センター空調設備改修、数量書

工事別-6

3	内装改修	〈改修〉											
	天井 高密度グラスボード張り	厚25		内部集計表(新設天井-2)								0.6	m2
				0.60						=0.60			
	天井 パールトン吹付			内部集計表(新設天井-1)								13.5	m2
				13.49						=13.49			
	軽量鉄骨天井下地	19形 ふところ1.5m未満		内部集計表(新設天井-1)								66.3	m2
		下地張りなし		13.49						=13.49			
				1.67						=1.67			
				内部集計表(新設天井-2)									
				28.47						=28.47			
				16.34						=16.34			
				6.33						=6.33	=66.30		
	軽量鉄骨天井下地	19形 ふところ1.5m未満		内部集計表(新設天井-1)								149.6	m2
		下地張りあり		44.18						=44.18			
				17.86						=17.86			
				82.31						=82.31			
				4.68						=4.68			
				内部集計表(新設天井-2)									
				0.60						=0.60	=149.63		
	軽量鉄骨天井 開口部補強	19形 ※m換算	その他拾い切									291.7	m
				291.66						=291.66			
	天井点検口	7/8製枠 450角		内部集計表(新設天井-2)								1.0	か所
				1.00						=1.00			
	二重竿縁	木製		内部集計表(新設天井-2)								31.0	m
				30.96						=30.96			

[illegible]

8

仮設拾い-9

仮設拾い											
墨出し(内部改修)			<1F>岩綿吸音板t=9				カ所			300.78	m2
			ホール	1.52	x1.13		x1.00	=1.72			
			<2F>岩綿吸音板t=9								
			スタッフルーム・休憩コーナー	1.13	x2.02		x2.00	=4.57			
			コンピュータールーム	0.78	x1.71		x1.00	=1.33			
			事務室	1.13	x2.02		x6.00	=13.70			
			図書室	2.28	x1.13		x7.00	=18.03			
				2.28	x1.11		x5.00	=12.65			
			廊下	1.32	x0.60		x2.00	=1.58			
			談話コーナー	1.13	x2.02		x4.00	=9.13			
				0.73	x1.62		x2.00	=2.37			
				1.03	x1.03		x1.00	=1.06			
			お話の部屋	2.28	x1.13		x1.00	=2.58			
			<2F>岩綿吸音板t=19キューブ								
			廊下	2.00	x2.00		x2.00	=8.00			
				1.72	x0.90		x2.00	=3.10			
			-a部	-1.32	x0.60		x2.00	=-1.58			
			談話コーナー	2.40	x3.00		x1.00	=7.20			
			-a部	-1.03	x1.03		x1.00	=-1.06			
				1.13	x2.02		x2.00	=4.57			
			-a部	-0.73	x1.62		x2.00	=-2.37			
			<2F>パーズキン吹付								
			図書室	2.28	x1.13		x8.00	=20.61			
			<2F>ビニールクロス								
			図書室	2.28	x1.11		x1.00	=2.53			
			<3F>岩綿吸音板t=9								
			事務室	1.55	x1.55		x4.00	=9.61			
			館長室	1.15	x1.15		x1.00	=1.32			

仮設拾い-10

仮設拾い												
			機械室	2.03	x1.27		x2.00	=5.16				
			会議室(1)	1.87	x0.73		x3.00	=4.10				
			会議室(2)	1.27	x2.03		x2.00	=5.16				
			小会議室	1.13	x2.27		x1.00	=2.57				
			廊下	5.15	x3.75		x1.00	=19.31				
				1.13	x2.03		x2.00	=4.59				
			<3F>岩綿吸音板t=19キューブ									
			館長室	1.55	x1.55		x1.00	=2.40				
			-a'部	-1.15	x1.15		x1.00	=-1.32				
			会議室(1)	2.27	x1.13		x3.00	=7.70				
			-a'部	-1.87	x0.73		x3.00	=-4.10				
			<3F>化粧PB									
			調理実習室	2.28	x1.37		x4.00	=12.49				
			更衣・下足室	1.66	x1.82		x1.00	=3.02				
			準備室	1.66	x1.82		x1.00	=3.02				
			<3F>化粧PB杉柵									
			和室	0.94	x5.56		x2.00	=10.45				
			<3F>化粧PB杉柵二重竿縁									
			茶室	4.75	x3.44			=16.34				
			<3F>ビニールクロス									
			待合コーナー	3.42	x2.07		x1.00	=7.08				
			<4F>岩綿吸音板t=9									
			研修室	2.03	x1.13		x6.00	=13.76				
			展示ホール(1)	2.65	x1.95		x1.00	=5.17				
				2.84	x1.95		x1.00	=5.54				
				1.72	x0.98		x2.00	=3.37				

仮設拾い-11

[illegible]

仮設拾い-12

仮設拾い											
養生(内部改修)	床養生シート+ラワン合板		<1F>岩綿吸音板t=9				カ所			1489.38	m2
			ホール	3.52	x3.13		x1.00	=11.02			
			<2F>岩綿吸音板t=9								
			スタッフルーム・休憩コーナー	3.13	x4.02		x2.00	=25.17			
			コンピュータールーム	2.78	x3.71		x1.00	=10.31			
			事務室	3.13	x4.02		x6.00	=75.50			
			図書室	4.28	x3.13		x7.00	=93.77			
				4.28	x3.13		x5.00	=66.98			
			廊下	3.32	x2.60		x2.00	=17.26			
			談話コーナー	3.13	x4.02		x4.00	=50.33			
				2.73	x3.62		x2.00	=19.77			
				3.03	x3.03		x1.00	=9.18			
			お話の部屋	2.28	x1.13		x1.00	=2.58			
			<2F>岩綿吸音板t=19キューブ								
			廊下	4.00	x4.00		x2.00	=32.00			
				3.72	x2.90		x2.00	=21.58			
			談話コーナー	4.40	x5.00		x1.00	=22.00			
				3.13	x4.02		x2.00	=25.17			
			<2F>パールスキン吹付								
			図書室	4.28	x3.13		x8.00	=107.17			
			<2F>ビニールクロス								
			図書室	4.28	x3.11		x1.00	=13.31			
			<3F>岩綿吸音板t=9								
			事務室	3.55	x3.55		x4.00	=50.41			
			館長室	3.15	x3.15		x1.00	=9.92			

仮設拾い												
			機械室	4.03	x3.27		x2.00	=26.36				
			会議室(1)	3.87	x2.73		x3.00	=31.70				
			会議室(2)	3.27	x4.03		x2.00	=26.36				
			小会議室	3.13	x4.27		x1.00	=13.37				
			廊下	7.15	x5.75		x1.00	=41.11				
				3.13	x4.03		x2.00	=25.23				
			<3F>岩綿吸音板t=19キューブ									
			館長室	3.55	x3.55		x1.00	=12.60				
			会議室(1)	4.27	x3.13		x3.00	=40.10				
			<3F>化粧PB									
			調理実習室	4.28	x3.37		x4.00	=57.69				
			更衣・下足室	3.66	x3.82		x1.00	=13.98				
			準備室	3.66	x3.82		x1.00	=13.98				
			<3F>化粧PB杉柵									
			和室	2.94	x7.56		x2.00	=44.45				
			<3F>化粧PB杉柵二重竿縁									
			茶室	4.75	x3.44			=16.34				
			<3F>ビニールクロス									
			待合コーナー	5.42	x4.07		x1.00	=22.06				
			<4F>岩綿吸音板t=9									
			研修室	4.03	x3.13		x6.00	=75.68				
			展示ホール(1)	4.65	x3.95		x1.00	=18.37				
				4.84	x3.95		x1.00	=19.12				
				3.72	x2.98		x2.00	=22.17				
			展示ホール(2)	3.58	x3.13		x1.00	=11.21				
				3.81	x3.13		x1.00	=11.93				

仮設拾い-14

[illegible]

仮設拾い-15

[illegible]

16

内部集計表-17

[illegible]

[illegible]

19

内部拾い-1

	内部拾い											
	<1階>											
	天井							カ所				
撤去	a:LGS、PBt=9(不燃)、岩綿吸音板t=9(不燃)		ホール	1.52	x1.13		x1.00	=1.72			1.23	m2
			-AC	-0.92	x0.53		x1.00	=-0.49		=1.23		
新設	a:LGS、PBt=9.5(不燃)、岩綿吸音板t=9(不燃)		撤去引	1.23				=1.23			1.23	m2
	<2階>											
	天井											
撤去	a:LGS、PBt=9(不燃)、岩綿吸音板t=9(不燃)		スタッフルーム・休憩コーナー	1.13	x2.02		x2.00	=4.57			42.95	m2
			-AC	-0.53	x1.42		x2.00	=-1.51				
			コンピュータールーム	0.78	x1.71		x1.00	=1.33				
			-AC	-0.53	x1.21		x1.00	=-0.64				
			事務室	1.13	x2.02		x6.00	=13.70				
			-AC	-0.53	x1.42		x6.00	=-4.52				
			図書室	2.28	x1.13		x7.00	=18.03				
			-AC	-1.68	x0.53		x7.00	=-6.23				
				2.28	x1.11		x5.00	=12.65				
			-AC	-1.68	x0.51		x5.00	=-4.28				
			廊下	1.32	x0.60		x2.00	=1.58				
			-AC	-1.12	x0.40		x2.00	=-0.90				
			談話コーナー	1.13	x2.02		x4.00	=9.13				
			-AC	-0.53	x1.42		x4.00	=-3.01				

内部拾い-2

	内部拾い											
				0.73	x1.62		x2.00	=2.37				
			-AC	-0.53	x1.42		x2.00	=-1.51				
				1.03	x1.03		x1.00	=1.06				
			-AC	-0.75	x0.75		x1.00	=-0.56				
			お話の部屋	2.28	x1.13		x1.00	=2.58				
			-AC	-1.68	x0.53		x1.00	=-0.89	=42.95			
新設	a:LGS、PBt=9.5(不燃)、岩綿吸音板t=9(不燃)		撤去引	42.95				=42.95		42.95	m2	
撤去	b:LGS、PBt=9(不燃)、岩綿吸音板t=19キューブ(不燃)		廊下	2.00	x2.00		x2.00	=8.00		17.86	m2	
				1.72	x0.90		x2.00	=3.10				
			-a部	-1.32	x0.60		x2.00	=-1.58				
			談話コーナー	2.40	x3.00		x1.00	=7.20				
			-a部	-1.03	x1.03		x1.00	=-1.06				
				1.13	x2.02		x2.00	=4.57				
			-a部	-0.73	x1.62		x2.00	=-2.37	=17.86			
新設	b:LGS、PBt=9.5(不燃)、岩綿吸音板t=19キューブ(不燃)		撤去引	17.86				=17.86		17.86	m2	
撤去	c:LGS、PBt=9(不燃)、パールスキン吹付		図書室	2.28	x1.13		x8.00	=20.61		13.49	m2	
			-AC	-1.68	x0.53		x8.00	=-7.12	=13.49			
新設	c:LGS、PBt=9.5(不燃)、パールスキン吹付		撤去引	13.49				=13.49		13.49	m2	

内部拾い-3

[illegible]

内部拾い-4

	内部拾い												
新設	a' :LGS、PBt=9.5(準不燃)、岩綿吸音板t=9(不燃)		撤去引	37.64					=37.64			37.64	m2
撤去	b' :LGS、PBt=9(準不燃)、岩綿吸音板t=19キ-7' (不燃)		館長室	1.55	x1.55		x1.00		=2.40			4.68	m2
			-a' 部	-1.15	x1.15		x1.00		=-1.32				
			会議室(1)	2.27	x1.13		x3.00		=7.70				
			-a' 部	-1.87	x0.73		x3.00		=-4.10		=4.68		
新設	b' :LGS、PBt=9.5(準不燃)、岩綿吸音板t=19キ-7' (不燃)		撤去引	4.68					=4.68			4.68	m2
撤去	d:LGS、化粧PBt=9(準不燃)		調理実習室	2.28	x1.37		x4.00		=12.49			13.71	m2
			-AC	-1.69	x0.53		x4.00		=-3.58				
			更衣・下足室	1.66	x1.82		x1.00		=3.02				
			-AC	-0.53	x1.17		x1.00		=-0.62				
			準備室	1.66	x1.82		x1.00		=3.02				
			-AC	-0.53	x1.17		x1.00		=-0.62		=13.71		
新設	d:LGS、化粧PBt=9.5(準不燃)		撤去引	13.71					=13.71			13.71	m2
撤去	e: (LGS)、化粧PB杉柵目透しt=9(準不燃)		和室	0.94	x5.56		x2.00		=10.45			6.84	m2
			-AC	-0.54	x1.67		x4.00		=-3.61		=6.84		

内部拾い-5

[illegible]

内部拾い-6

	内部拾い											
	<4階>											
	天井											
撤去	a':LGS、PBt=9(準不燃)、岩綿吸音板t=9(不燃)		研修室	2.03	x1.13		x6.00	=13.76			33.40	m2
			-AC	-1.43	x0.53		x6.00	=-4.55				
			展示ホール(1)	2.65	x1.95		x1.00	=5.17				
				2.84	x1.95		x1.00	=5.54				
				1.72	x0.98		x2.00	=3.37				
			-AC	-1.12	x0.36		x2.00	=-0.81				
			展示ホール(2)	1.58	x1.13		x1.00	=1.79				
				1.81	x1.13		x1.00	=2.05				
			-AC	-1.21	x0.53		x2.00	=-1.28				
			廊下	1.13	x1.65		x3.00	=5.59				
			-AC	-0.53	x1.05		x3.00	=-1.67				
			廊下	1.78	x1.13		x2.00	=4.02				
			-AC	-1.18	x0.53		x2.00	=-1.25				
			ゲートルーム	2.26	x1.13		x1.00	=2.55				
			-AC	-1.66	x0.53		x1.00	=-0.88		-33.40		
新設	a':LGS、PBt=9.5(準不燃)、岩綿吸音板t=9(不燃)		撤去引	33.40				=33.40			33.40	m2
撤去	d:LGS、化粧PBt=9(準不燃)		創作室	1.82	x1.37		x6.00	=14.96			12.56	m2
			-AC	-1.43	x0.53		x6.00	=-4.55				
			調整室	2.28	x1.37		x1.00	=3.12				
			-AC	-1.42	x0.68		x1.00	=-0.97		-12.56		

内部拾い-7

	内部拾い											
新設	d:LGS、化粧PBt=9.5(準不燃)		撤去引	12.56					=12.56		12.56	m2
新設	天井点検口 ※撤去共	アルミ製枠450角	展示ホール(1)	1.00					=1.00		1.00	か所
	<5階>											
	天井											
撤去	a':LGS、PBt=9(準不燃)、岩綿吸音板t=9(不燃)		展示室	2.00	x1.13		x1.00		=2.26		11.27	m2
				2.03	x1.13		x1.00		=2.29			
			-AC	-1.43	x0.53		x2.00		=-1.52			
			調整室	1.81	x1.13		x2.00		=4.09			
			-AC	-1.43	x0.53		x2.00		=-1.52			
			廊下	1.13	x1.77		x3.00		=6.00			
			-AC	-0.53	x1.17		x3.00		=-1.86			
			廊下	2.03	x1.13		x1.00		=2.29			
			-AC	-1.43	x0.53		x1.00		=-0.76	=11.27		
新設	a':LGS、PBt=9.5(準不燃)、岩綿吸音板t=9(不燃)		撤去引	11.27					=11.27		11.27	m2

内部拾い-8

[illegible]

その他拾い-9

その他拾い											
軽量鉄骨天井 開口部補強	19形	※m換算	AC開口	延べL			カ所			291.66	m
			<1F>								
			ホール								
			0.92*0.53	2.90			x1.00	=2.90			
			<2F>								
			スタッフルーム・休憩コーナー				x2.00				
			0.53*1.42	3.90				=3.90			
			コンピュータルーム				x1.00				
			0.53*1.21	3.48				=3.48			
			事務室				x6.00				
			0.53*1.42	3.90				=3.90			
			図書室				x15.00				
			1.68*0.53	4.42			x6.00	=26.52			
			1.68*0.51	4.38				=4.38			
			廊下				x2.00				
			1.12*0.40	3.04				=3.04			
			談話コーナー				x6.00				
			0.53*1.42	3.90			x1.00	=3.90			
			0.75*0.75	3.00				=3.00			
			お話の部屋				x1.00				
			1.68*0.53	4.42				=4.42			
			<3F>								
			事務室								
			0.95*0.95	3.80			x4.00	=15.20			
			館長室								
			0.95*0.95	3.80			x1.00	=3.80			

その他拾い-10

その他拾い												
			機械室									
			1.43*0.67	4.20			x2.00	=8.40				
			会議室(1)									
			1.67*0.53	4.40			x3.00	=13.20				
			会議室(2)									
			0.67*1.43	4.20			x2.00	=8.40				
			小会議室									
			0.53*1.67	4.40			x1.00	=4.40				
			廊下									
			0.53*1.43	3.92			x3.00	=11.76				
			調理実習室									
			1.69*0.53	4.44			x4.00	=17.76				
			更衣・下足室									
			0.53*1.17	3.40			x1.00	=3.40				
			準備室									
			0.53*1.17	3.40			x1.00	=3.40				
			和室									
			0.54*1.67	4.42			x4.00	=17.68				
			待合コーナー									
			1.41*0.53	3.88			x1.00	=3.88				
			<4F>									
			研修室									
			1.43*0.53	3.92			x6.00	=23.52				
			展示ホール(1)									
			1.12*0.36	2.96			x2.00	=5.92				
			展示ホール(2)									
			1.21*0.53	3.48			x2.00	=6.96				
			廊下									
			0.53*1.05	3.16			x3.00	=9.48				
			1.18*0.53	3.42			x2.00	=6.84				

その他拾い-11

[illegible]